The Potential for Transit Oriented Development (TOD) in Greater Christchurch

Aaron Gyles, Matilda Sandqvist, Regan Waterreus & Sophie Jones

1. Abstract

As a city currently dominated by private motor vehicles, Christchurch is beginning to investigate mass rapid transit and the development that occurs around it. This paper aims to determine what parts of Christchurch would be suitable for the construction of transit-oriented development (TOD) and the suitability of value capture in those areas. Using a systematic review of the literature a set of criteria was developed for a TOD and value capture suitable environment. The areas of Christchurch Central, Belfast/Northwood, Linwood, Hornby, North Halswell, Papanui/Northlands, Riccarton and Shirley/Palms were all found to be suitable for TOD.

2. Introduction:

As cities develop and incomes rise, focus turns to liveability and efficient use. Many cities however, developed in an era of private motor vehicles, use space inefficiently and contribute to emission surpluses. These problems contribute to higher travel times, reduced access to amenities, and increased pollution. As such, there is a growing global movement for transit and development to exist harmoniously in an efficient urban environment. Christchurch, in the South Island of New Zealand, currently faces this problem. Consisting predominantly of low-density developments and based around Private Motor Vehicles (PMVs) (Kusumastuti & Nicholson, 2018), it has limited public transit options and a low-density population.

Transit Oriented Development (TOD) is an urban form describing the development of housing, amenities or economic activity around new or existing transit services (Knowles, 2012). A TOD based community can result in a dense, compact area with improved access to amenities and reduced social harm when compared to an automobile dominated

around the historic tram network that once moved the city, little can be seen in the present day. Limited TOD does exist around the local bus network but is not expansive. In conjunction with TOD, value capture quantifies the

increase in value of houses that are close to transport and uses this to contribute to the cost of TOD (Mcintosh, Newman, Trubka & Kenworthy, 2017).

TOD gives an opportunity for cities to become more efficient and provide a higher quality of life to its residents. This project outlines the potential that Christchurch has for TOD in the future, as well as potential value capture methods in the future.

Research Problem:

various negative impacts on its residents and the physical environment. Heavy PMV reliance coupled with low density development result in many negative externalities that span a range of areas. As such, it must be investigated how Christchurch can develop in the future to remove these externalities. A heavy implementation of TOD in the existing city boundaries could have positive results. This research project aims to determine what areas within Christchurch are suitable for TODs, as well as potential value capture methods.

Research Hypothesis:

Encouraging dense developments will reduce the conversion of

Virginia and Mississippi (Reconnecting America, 2012). A particularly successful example of retrofitting TOD is in Subiaco, Perth with a redevelopment project known as Subi-Centro. Subi-

by a vision to use TOD to revitalize the area. The project now houses 1500 new residents, with an additional 90,000 m2 of commercial space employing 3200 workers (Howe, Glass & Curtis, 2009)

Using transit to guide new development

TOD can also be used to guide new development by building transit lines and hubs first to encourage growth along or around these corridors. This can be further encouraged by zoning to steer growth along these desired axes.
(see Appendix A). Long-term planning visions have shaped rail investment which in turn has driven urban growth (Suzuki, Cervero & Iuchi, 2013). In 1947 the Finger Plan designated five corridors for urban development along existing or future planned rail lines from Copenhagen s CBD out to the suburbs (Knowles, 2012). Each railway station was intended to be a hub for high density housing as well as commercial and retail use. This formed a linear urban development pattern concentrated along these transit corridors. The newest development finger, Ørestad and has resulted in the TOD Ørestad New Town. Ørestad New Town is a 5km long, 600m wide linear development with the Metro at its core (Knowles, 2012). Finger Plan has used rail to concentrate urban development along its transit corridors.

3.3. **Characteristics of successful TODs**

Political commitment

A key factor frequently identified in the literature as playing an important role in successful TOD projects is consistent political commitment from all levels of government. Governance arrangements are key to the success of TOD (Searle, Darchen & Huston, 2014). Political commitment and supportive policy is identified in a number of case studies as being one of the most important factors for facilitating development (Boarnet & Compin, 1999; Hess & Lombardi, 2004; Searle et. al, 2014; Suzuki, Cervero & Iuchi, 2013; Thomas & Bertolini, 2014). This is due to the critical role that the public sector plays in integrating transport policy with urban development, as well the resources and authority to change policies and zoning that political bodies have.

The long-term vision of political leaders to base land-use planning on transit is considered a key success factor for renowned TOD projects like those in San Diego, Arlington County and Copenhagen (Boarnet & Compin, 1999; Cervero, 2004; Suzuki et al., 2013). Governments in many successful cities have also incentivized the private sector to develop along transit corridors (Hess & Lombardi, 2004). These case studies are useful in demonstrating the different ways in which supportive policy can be used to facilitate TOD.

Stakeholder leadership

Another factor commonly identified in the literature is stakeholder leadership in developing, planning and maintaining TOD projects. There are many stakeholders with different interests involved in TOD including government, private sector groups and residents. It is necessary for

one group to take the lead and take ownership of TOD policy (Cervero, 2004; Hess & Lombardi, 2004; Thomas & Bertolini, 2014). This allows for consistent, expert guidance that enables more effective coordination of transport and urban development policy (Hess & Lombardi, 2004).

Many researchers conclude that regional transit agencies are the best stakeholders to take the lead, but local government can also do the same (Hess & Lombardi, 2004; Suzuki, Cervero & Iuchi, 2013; Searle, Darchen & Huston, 2014). In Washington, is partly credited to the approach taken by the Washington Metropolitan Area Transit Authority (WMATA) to TOD (Suzuki 2013). The WMATA has given its staff authority to purchase real estate in potential development zones (Suzuki et al, 2013). This has allowed the agency to pursue joint

assessments and taxes, developer contributions or public sector real estate transaction, where value capture is the developer contributions (Mathur et al, 2016). These methods of value capture can be used to recoup some of the cost of the creation of a TOD (Kemp & Mollard, 2013). Studies in North America shows that increasing for residential value is 5-10% and commercial value increases with 13-30% within proximity of a TOD (Doherty, 2005). Transit is shown to induce value creation and predevelopment speculation (see Appendix B).

As Kemp & Mollard (2013) describes, New Zealand has a number of value capture mechanisms available to it that can work under current legislation, these are as follows: Development contributions (under the Local Government Act 2002), Financial contributions (under the Resource Management Act 1991), Targeted rates (under the Local Government Act 2002)

In order to have a successful value capture mechanism on a TOD, establishing an early dialogue among public entities and between the public and private sectors must be achieved for an even understanding of the development. There must also be coherent value capture strategies with any investment partners sharing the same goals. A large factor of success is from overcoming the differences in culture, perspective and institutional norms. These have all helped to overcome the complexity and risks that comes this using of value capturing within TOD (Page, 2016). Therefore, in New Zealand there a number of value capture methods that could be implemented.

4. Methodology

To test the hypothesis, a criteria has been created for a TOD and value capture suitable environment. This criteria has been created from the observed success factors that were observed during our systematic review and is as follows:

An environment is considered suitable for Transit Oriented Development if it has:

- Consistent **political commitment** to TOD
- A **leading stakeholder** with the ability to coordinate land-use and transport policy (or a mechanism to create a leading stakeholder
- A plausible **funding method** for the planning, development and maintenance of TOD
- **Land available** for development and/or new transit links
- A **density** of at least 24.7 dwellings per hectare (or sufficient projected population growth and/or commitment to achieving this growth in future)

One observation of the criteria is that it does not have any points directly relating to value capture. The systematic review determined that, due to the many different value capture methods, it was found that if an environment is suitable for TOD there will be a value capture mechanism that could be implemented. Therefore, the assumption was made that all TOD suitable environments are also suitable for value capture.

For the purpose of this research, an environment that is suitable for TOD and value capture is defined as an area with the necessary characteristics to implement a successful TOD project. The developed criteria does not evaluate what kin

against the developed criteria; if any area is found suitable for TOD and value capture as per the criteria the hypothesis will be found true.

5. Data

Data used for this research is sourced from the Christchurch City Council (CCC) as well as the

Ec *a* *Ca* . Retrieved from: http://www.reconnectingamerica.org/assets/PDFs/201205ruralfinal.pdf

Searle, G., Darchen, S., & Huston, S. (2014). Positive and Negative Factors for Transit Oriented Development: Case Studies from Brisbane, Melbourne and Sydney. *Uban Py a Rach* , 32(4), 437-457. https://doi.org/10.1080/08111146.2014.931280.

STPP and Centre for Neighbourhood Technology. (2005). *Di Sp Pi Dis f H a Ca* Washington D.C., United States.

Strategic Economics. 2017. *E pi Us V a Ca f Tan a TOD i Mas s* Massachusetts. http://www.mapc.org/wp-content/uploads/2017/09/MAPCValueCaptureExecSumm.pdf

Subiaco Redevelopment Authority (2019). *Sbi Ce A Ca s Sy Uban Rih* Perth: Government of Western Australia. Retrieved from https://cdn.mra.wa.gov.au/production/documents-media/documents/subiaco/file/subi-centro-a-case-study-in-urban-revitalisation.pdf

Suzuki, H. (2015). Rail Plus Property Program: Hong Kong SAR, China. In H. Suzuki, J. Murakami, Y.-H. Hong, & B. Tamayose (Eds.), *Fi -O D H L a V a A d L a V a Ca i D C* (pp. 99-126). Washington: World Bank Publications

Suzuki, H., Cervero, R., & Luchi, K. (2013). *T f Tan a -d f ib b a* . Washington, D.C: World Bank. doi:10.1596/978-0-8213-9745-9

Thomas, R., Pojani, D., Lenferink, S., Bertolini, L., Stead, D & van der Krabben, E. (2018). Is transit-oriented development (TOD) an internationally transferable policy concept? *Rg Sd* , 52(9), 1201-1213, doi: ng 68C,6(m)-13(2 Tm0 G[(d)-20(4887 0 595*nBT/F2 12 Tf10Tm0 8

d c.12.3Cass ET dq000887 0 . EMC 0 0 (en H-13(v)21rJ ET O q 21rdq 0 2* n BT7(i)7(-6(t)7(ud)-200 0 1 70

Appendix A:

1947 Finger plan of Copenhagen (Knowles, 2012).



N
R1A
Rangiora
R3
Woodend/Pegasus
R2B
R2A
B1B
B1C
B2
B3
R4
R6
R5
B4
B5
R7
Brighton
R8
Riccarton
Eastgate/Linwood
R10
R12
Zoned
Not Yet Zoned
Key Activity Centre